

HYDRIC SOIL List - Franklin Co. , Massachusetts				
AUGUST, 2002- Natural Resources Conservation Service				
ana = analog (fragments are within range for listed texture and may be present in addition to listed surface texture)				
vf = very fine stny = stony rky = rocky extr = extremely				
Publ. Sym.	State Sym.	Map Unit Name	hydric	criteria
AfA	275A	Agawam fine sandy loam, 0 to 3 % slopes	n	-
		Inclusions: Ninigret	n	-
		Windsor	n	-
		Hadley	n	-
		Ondawa	n	-
		Wareham	y	2B2
		Walpole	y	2B3
AfB	275B	Agawam fine sandy loam, 3 to 8 % slopes	n	-
		Inclusions: Ninigret	n	-
		Windsor	n	-
		Hadley	n	-
		Ondawa	n	-
		Wareham	y	2B2
		Walpole	y	2B3
AfC	275C	Agawam fine sandy loam, 8 to 15 % slopes	n	-
		Inclusions: Merrimac	n	-
		Windsor	n	-
AfD	275D	Agawam fine sandy loam, 15 to 25 % slopes	n	-
		Inclusions: Merrimac	n	-
		Windsor	n	-
AgA	277A	Agawam fine sandy loam, variant, 0 to 3 % slopes	n	-
		Inclusions: Windsor		
		Scarboro	y	3,2B2
AgB	277B	Agawam fine sandy loam, variant, 3 to 8 % slopes	n	-
		Inclusions: Windsor		
		Scarboro	y	3,2B2
AgC	277C	Agawam fine sandy loam, variant, 8 to 15 % slopes	n	-
		Inclusions: Windsor	n	-
BaA	225A	Belgrade silt loam, 0 to 3 % slopes	n	-
		Inclusions: Hartland	n	-
		Raynham	y	2B3
BaB	225B	Belgrade silt loam, 3 to 8 % slopes		
		Inclusions: Hartland	n	-
		Raynham	y	2B3
BbB	450B	Berkshire fine sandy loam, 3 to 8 % slopes		
		Inclusions: Peru	n	-
		Marlow	n	-
		Lyman	n	-
		Whitman	y	2B3
		Ridgebury	y	2B3
BbC	450C	Berkshire fine sandy loam, 8 to 15 % slopes	n	-
		Inclusions: Peru	n	-
		Lyman	n	-
		Marlow	n	-
BbD	450D	Berkshire fine sandy loam, 15 to 25 % slopes	n	-
		Inclusions: Peru	n	-
		Lyman	n	-
		Marlow	n	-
BcB	451B	Berkshire fine sandy loam, very stony, 3 to 8 % slopes	n	-
		Inclusions: Peru	n	-
		Marlow	n	-
		Lyman	n	-
		Whitman	y	2B3
		Ridgebury	y	2B3
BcC	451C	Berkshire fine sandy loam, very stony, 8 to 15 % slopes	n	-
		Inclusions: Peru	n	-
		Lyman	n	-
		Marlow	n	-
BcD	451D	Berkshire fine sandy loam, very stony, 15 to 25 % slopes	n	-
		Inclusions: Peru	n	-
		Lyman	n	-
		Marlow	n	-

Publ. Sym.	State Sym.	Map Unit Name	hydric	criteria	
BdB	452B	Berkshire fine sandy loam, extremely stony, 3 to 8 % slopes			
		Inclusions: Peru	n	-	
		Lyman	n	-	
		Ridgebury	y	2B3	
		Whitman	y	2B3	
		Marlow	n	-	
BdD	452D	Berkshire fine sandy loam, extremely stony, 8 to 25 % slopes			
		Inclusions: Peru	n	-	
		Lyman	n	-	
		Marlow	n	-	
BdF	452F	Berkshire fine sandy loam, extremely stony, 25 to 65 % slopes			
		Inclusions: Peru	n	-	
		Lyman	n	-	
		Marlow	n	-	
BeB	450B	Berkshire fine sandy loam, dark subsoil, 3 to 8 % slopes			
		Inclusions: Peru	n	-	
		Marlow	n	-	
		Lyman	n	-	
		Whitman	y	2B3	
		Ridgebury	y	2B3	
BeC	450C	Berkshire fine sandy loam, dark subsoil, 8 to 15 % slopes			
		Inclusions: Peru	n	-	
		Lyman	n	-	
		Marlow	n	-	
BeD	450D	Berkshire fine sandy loam, dark subsoil, 15 to 25 % slopes			
		Inclusions: Peru	n	-	
		Lyman	n	-	
		Marlow	n	-	
BfB	451B	Berkshire fine sandy loam, dark subsoil, very stony, 3 to 8 % slopes			
		Inclusions: Peru	n	-	
		Marlow	n	-	
		Lyman	n	-	
		Whitman	y	2B3	
		Ridgebury	y	2B3	
BfC	451C	Berkshire fine sandy loam, dark subsoil, very stony, 8 to 15 % slopes			
		Inclusions: Peru	n	-	
		Lyman	n	-	
		Marlow	n	-	
BfD	451D	Berkshire fine sandy loam, dark subsoil, very stony, 15 to 25 % slopes			
		Inclusions: Peru	n	-	
		Lyman	n	-	
		Marlow	n	-	
BgB	452B	Berkshire fine sandy loam, dark subsoil, extremely stony, 3 to 8 % slopes			
		Inclusions: Peru	n	-	
		Marlow	n	-	
		Lyman	n	-	
		Whitman	y	2B3	
		Ridgebury	y	2B3	
BgD	452D	Berkshire fine sandy loam, dark subsoil, extremely stony, 8 to 25 % slopes			
		Inclusions: Peru	n	-	
		Lyman	n	-	
		Marlow	n	-	
BgF	452F	Berkshire fine sandy loam, dark subsoil, extremely stony, 25 to 55 % slopes			
		Inclusions: Peru	n	-	
		Lyman	n	-	
		Marlow	n	-	
BhB	333B	Bernardston channery silt loam, 3 to 8 % slopes			
		Inclusions: Pittstown	n		
		Stissing	y	2B3	
BhC	333C	Bernardston channery silt loam, 8 to 15 % slopes			
		Inclusion: Pittstown	n		
BhD	333D	Bernardston channery silt loam, 15 to 25 % slopes			
		Inclusion: Pittstown	n		

Publ. Sym.	State Sym.	Map Unit Name	hydric	criteria
BmB	331B	Bernardston silt loam, very stony, 3 to 8 % slopes	n	
		Inclusions: Pittstown	n	
		Stissing	y	2B3
BmC	331C	Bernardston silt loam, very stony, 8 to 15 % slopes	n	-
		Inclusions: Pittstown	n	-
BmD	331D	Bernardston silt loam, very stony, 15 to 25 % slopes	n	-
		Inclusions: Dutchess	n	-
		Pittstown	n	-
BmF	331F	Bernardston silt loam, very stony, 25 to 55 % slopes	n	-
		Inclusion: Pittstown	n	-
Bn	17A	Biddeford silt loam, 0 to 3 % slopes	y	2B3
		Inclusion: Scantic	y	2B3
		Buxton	n	-
BsB	340B	Broadbrook very fine sandy loam, 3 to 8 % slopes	n	-
		Inclusions: Scituate	n	-
		Ridgebury	y	2B3
BsC	340C	Broadbrook very fine sandy loam, 8 to 15 % slopes	n	-
		Inclusion: Scituate	n	-
BsD	340D	Broadbrook very fine sandy loam, 15 to 25 % slopes	n	-
		Inclusion: Scituate	n	-
BitC	341C	Broadbrook very fine sandy loam, very stony, 3 to 15% slopes	n	-
		Inclusion: Scituate	n	-
BitD	341D	Broadbrook very fine sandy loam, very stony, 15 to 25 % slopes	n	-
		Inclusion: Scituate	n	-
BuA	375A	Buckland fine sandy loam, 0 to 3 % slopes	n	-
		Inclusions: Shelburne	n	-
		Cabot	y	2B3
BuB	375B	Buckland fine sandy loam, 3 to 8 % slopes	n	-
		Inclusions: Shelburne	n	-
		Cabot	y	2B3
BuC	375C	Buckland fine sandy loam, 8 to 15 % slopes	n	-
		Inclusion: Shelburne	n	-
BuD	375D	Buckland fine sandy loam, 15 to 25 % slopes	n	-
		Inclusion: Shelburne	n	-
BvB	378B	Buckland fine sandy loam, very stony, 3 to 8 % slopes	n	-
		Inclusions: Shelburne	n	-
		Cabot	y	2B3
BvC	378C	Buckland fine sandy loam, very stony, 8 to 15 % slopes	n	-
		Inclusion: Shelburne	n	-
BvD	378D	Buckland fine sandy loam, very stony, 15 to 25 % slopes	n	-
		Inclusion: Shelburne	n	-
BwB	377B	Buckland fine sandy loam, extremely stony, 3 to 8 % slopes	n	-
		Inclusions: Shelburne	n	-
		Cabot	y	2B3
BwC	377C	Buckland fine sandy loam, extremely stony, 8 to 25% slopes	n	-
		Inclusion: Shelburne	n	-
BxA	228A	Buxton silt loam, 0 to 3 % slopes	n	-
		Inclusions: Scantic	y	2B3
		Suffield	n	-
BxB	228B	Buxton silt loam, 3 to 10% slopes	n	-
		Inclusions: Scantic	y	2B3
		Suffield	n	-
CaA	77A	Cabot fine sandy loam, 0 to 3 % slopes	y	2B3
		Inclusion: Buckland	n	-
CaB	77B	Cabot fine sandy loam, 3 to 8 % slopes	y	2B3
		Inclusion: Buckland	n	-
CbB	155B	Cabot fine sandy loam, extremely stony, 0 to 10% slopes	y	2B3
		Inclusion: Buckland	n	-
CcA	77A	Cabot loam, black surface, 0 to 3 % slopes	y	2B3
		Inclusion: Buckland	n	-
CdA	154A	Cabot Loam, black surface, very stony, 0 to 3 % slopes	y	2B3
		Inclusion: Buckland	n	-
CdB	154B	Cabot Loam, black surface, very stony, 3 to 8 % slopes	y	2B3
		Inclusion: Buckland	n	-

Publ. Sym.	State Sym.	Map Unit Name	hydric	criteria
CeA	259A	Carver loamy coarse sand, 0 to 3 % slopes	n	-
		Inclusion: Windsor	n	-
		Hinckley	n	-
CeB	259B	Carver loamy coarse sand, 3 to 8 % slopes	n	-
		Inclusion: Windsor	n	-
		Hinckley	n	-
CeC	259C	Carver loamy coarse sand, 8 to 15 % slopes	n	-
		Inclusion: Windsor	n	-
		Hinckley	n	-
CeD	259D	Carver loamy coarse sand, 15 to 25 % slopes	n	-
		Inclusion: Windsor	n	-
		Hinckley	n	-
CkB	405B	Charlton fine sandy loam, 3 to 8 % slopes	n	-
		Inclusions: Sutton	n	-
		Paxton	n	-
		Ridgebury	y	2B3
CkC	405C	Charlton fine sandy loam, 8 to 20% slopes	n	-
		Inclusions: Paxton	n	-
		Sutton	n	-
CmC	406C	Charlton fine sandy loam, very stony, 3 to 15% slopes	n	-
		Inclusions: Paxton	n	-
		Sutton	n	-
CmD	406D	Charlton fine sandy loam, very stony, 15 to 25% slopes	n	-
		Inclusions: Paxton	n	-
		Sutton	n	-
CnB	407B	Charlton fine sandy loam, extremely stony, 3 to 8 % slopes	n	-
		Inclusions: Sutton	n	-
		Paxton	n	-
		Ridgebury	y	2B3
CnD	407D	Charlton fine sandy loam, extremely stony, 8 to 25% slopes	n	-
		Inclusions: Paxton	n	-
		Sutton	n	-
CnE	407E	Charlton fine sandy loam, extremely stony, 25 to 45% slopes	n	-
		Inclusions: Paxton	n	-
		Sutton	n	-
CoB	462B	Cheshire fine sandy loam, 3 to 8% slopes	n	-
		Inclusions: Wethersfield	n	-
		Brookfield	n	-
		Yalesville	n	-
CoC	462C	Cheshire fine sandy loam, 8 to 15 % slopes	n	-
		Inclusions: Wethersfield	n	-
		Brookfield	n	-
		Yalesville	n	-
CoD	462D	Cheshire fine sandy loam, 15 to 25% slopes	n	-
		Inclusions: Wethersfield	n	-
		Brookfield	n	-
		Yalesville	n	-
CpB	463B	Cheshire fine sandy loam, very stony, 3 to 8 % slopes	n	-
		Inclusions: Wethersfield	n	-
		Brookfield	n	-
		Yalesville	n	-
CpC	463C	Cheshire fine sandy loam, very stony, 8 to 15 % slopes	n	-
		Inclusions: Wethersfield	n	-
		Brookfield	n	-
		Yalesville	n	-
CpD	463D	Cheshire fine sandy loam, very stony, 15 to 25% slopes	n	-
		Inclusions: Wethersfield	n	-
		Brookfield	n	-
		Yalesville	n	-
CrB	464B	Cheshire fine sandy loam, extremely stony, 3 to 8 % slopes	n	-
		Inclusions: Wethersfield	n	-
		Brookfield	n	-
		Yalesville	n	-
CrD	464D	Cheshire fine sandy loam, extremely stony, 8 to 25 % slopes	n	-
		Inclusions: Wethersfield	n	-
		Brookfield	n	-
		Yalesville	n	-
CrE	464E	Cheshire fine sandy loam, extremely stony, 25 to 45% slopes	n	-
		Inclusions: Wethersfield	n	-
		Brookfield	n	-
		Yalesville	n	-

Publ. Sym.	State Sym.	Map Unit Name	hydric	criteria
CsB	465B	Colrain fine sandy loam, 3 to 8 % slopes	n	-
CsC	465C	Colrain fine sandy loam, 8 to 15 % slopes	n	-
CsD	465D	Colrain fine sandy loam, 15 to 25% slopes	n	-
CvB	466B	Colrain fine sandy loam, very stony, 3 to 8 % slopes	n	-
CvC	466C	Colrain fine sandy loam, very stony, 8 to 15 % slopes	n	-
CvD	466D	Colrain fine sandy loam, very stony, 15 to 25% slopes	n	-
CxB	467B	Colrain fine sandy loam, extremely stony, 3 to 8 % slopes	n	-
CxD	467D	Colrain fine sandy loam, extremely stony, 8 to 25% slopes	n	-
CxF	467F	Colrain fine sandy loam, extremely stony, 25 to 50 % slopes	n	-
DfA	256A	Deerfield loamy fine sand, 0 to 3 % slopes	n	-
		Inclusions: Windsor	n	-
		Wareham	y	2B2
		Scarboro	y	2B2,3
DuB	470B	Dutchess silt loam, 3 to 8 % slopes	n	-
		Inclusions: Pittstown	n	-
		Nassau	n	-
		Stissing	y	2B3
DuC	470C	Dutchess silt loam, 8 to 15 % slopes	n	-
		Inclusions: Pittstown	n	-
		Nassau	n	-
		Stissing	y	2B3
DuD	470D	Dutchess silt loam, 15 to 25% slopes	n	-
		Inclusions: Pittstown	n	-
		Nassau	n	-
DvC	471C	Dutchess silt loam, very stony, 3 to 15 % slopes	n	-
		Inclusions: Pittstown	n	-
		Nassau	n	-
		Stissing	y	2B3
DvD	471D	Dutchess silt loam, very stony, 15 to 25% slopes	n	-
		Inclusions: Pittstown	n	-
		Nassau	n	-
DxD	472D	Dutchess silt loam, extremely stony, 8 to 25% slopes	n	-
		Inclusions: Pittstown	n	-
		Nassau	n	-
DxF	472F	Dutchess silt loam, extremely stony, 25 to 55 % slopes	n	-
		Inclusions: Pittstown	n	-
		Nassau	n	-
EfB	385B	Essex fine sandy loam, 3 to 8 % slopes	n	-
		Inclusions: Gloucester	n	-
		Scituate	n	-
		Ridgebury	y	2B3
EfC	385C	Essex fine sandy loam, 8 to 15 % slopes	n	-
		Inclusions: Gloucester	n	-
		Scituate	n	-
		Ridgebury	y	2B3
EfD	385D	Essex fine sandy loam, 15 to 25% slopes	n	-
		Inclusions: Gloucester	n	-
		Scituate	n	-
EvB	386B	Essex fine sandy loam, very stony, 3 to 8 % slopes	n	-
		Inclusions: Gloucester	n	-
		Scituate	n	-
EvC	386C	Essex fine sandy loam, very stony, 8 to 15 % slopes	n	-
		Inclusions: Gloucester	n	-
		Scituate	n	-
EvD	386D	Essex fine sandy loam, very stony, 15 to 25% slopes	n	-
		Inclusions: Gloucester	n	-
		Scituate	n	-
ExB	387B	Essex fine sandy loam, extremely stony, 3 to 8 % slopes	n	-
		Inclusions: Gloucester	n	-
		Scituate	n	-
ExC	387C	Essex fine sandy loam, extremely stony, 8 to 25% slopes	n	-
		Inclusions: Gloucester	n	-
		Scituate	n	-
ExE	387E	Essex fine sandy loam, extremely stony, 25 to 45% slopes	n	-
		Inclusions: Gloucester	n	-
		Scituate	n	-
GfA	440A	Gloucester fine sandy loam, 0 to 3 % slopes	n	-
		Inclusions: Essex	n	-
		Scituate	n	-
		Ridgebury	y	2B3
GfB	440B	Gloucester fine sandy loam, 3 to 8 % slopes	n	-
		Inclusions: Essex	n	-
		Scituate	n	-
		Ridgebury	y	2B3
GfC	440C	Gloucester fine sandy loam, 8 to 15 % slopes	n	-
		Inclusions: Essex	n	-
		Scituate	n	-
GfD	440D	Gloucester fine sandy loam, 15 to 25% slopes	n	-
		Inclusions: Essex	n	-
		Scituate	n	-

Publ. Sym.	State Sym.	Map Unit Name	hydric	criteria	
GmB	440B	Gloucester sandy loam, 3 to 8 % slopes	n	-	
		Inclusions: Essex	n	-	
		Scituate	n	-	
		Ridgebury	y	2B3	
GmC	440C	Gloucester sandy loam, 8 to 15 % slopes	n	-	
		Inclusions: Essex	n	-	
		Scituate	n	-	
GmD	440D	Gloucester sandy loam, 15 to 25% slopes	n	-	
		Inclusions: Essex	n	-	
		Scituate	n	-	
GvB	441B	Gloucester sandy loam, very stony, 3 to 8 % slopes	n	-	
		Inclusions: Essex	n	-	
		Scituate	n	-	
		Ridgebury	y	2B3	
GvC	441C	Gloucester sandy loam, very stony, 8 to 15 % slopes	n	-	
		Inclusions: Essex	n	-	
		Scituate	n	-	
GvD	441D	Gloucester sandy loam, very stony, 15 to 25% slopes	n	-	
		Inclusions: Essex	n	-	
		Scituate	n	-	
GxB	442B	Gloucester sandy loam, extremely stony, 3 to 8 % slopes	n	-	
		Inclusions: Essex	n	-	
		Scituate	n	-	
		Ridgebury	y	2B3	
GxC	442C	Gloucester sandy loam, extremely stony, 8 to 25% slopes	n	-	
		Inclusions: Essex	n	-	
		Scituate	n	-	
GxE	442E	Gloucester sandy loam, extremely stony, 25 to 45% slopes	n	-	
		Inclusions: Essex	n	-	
		Scituate	n	-	
HaA	96A	Hadley silt loam, 0 to 3 % slopes	n	-	
		Inclusions: Winooski	n	-	
		Ondawa	n	-	
HaB	96B	Hadley silt loam, 3 to 8 % slopes	n	-	
		Inclusions: Winooski	n	-	
		Ondawa	n	-	
HbA	96A	Hadley very fine sandy loam, 0 to 3 % slopes	n	-	
		Inclusions: Winooski	n	-	
		Ondawa	n	-	
HbB	96B	Hadley very fine sandy loam, 3 to 8 % slopes	n	-	
		Inclusions: Winooski	n	-	
		Ondawa	n	-	
HcA	98A	Hadley very fine sandy loam, overflow, 0 to 3 % slopes	n	-	
		Inclusions: Winooski	n	-	
		Ondawa	n	-	
HdA	230A	Hartland silt loam, 0 to 3 % slopes	n	-	
		Inclusions: Belgrade	n	-	
		Raynham	n	-	
HdB	230B	Hartland silt loam, 3 to 8 % slopes	n	-	
		Inclusions: Belgrade	n	-	
		Raynham	n	-	
HdC	230C	Hartland silt loam, 8 to 15 % slopes	n	-	
		Inclusions: Belgrade	n	-	
HdD	230D	Hartland silt loam, 15 to 35 % slopes	n	-	
		Inclusions: Belgrade	n	-	
HkA	245A	Hinckley sandy loam, 0 to 3 % slopes	n	-	
		Inclusions: Windsor	n	-	
		Deerfield	n	-	
		Merrimac	n	-	
		Wareham	y	2B2	

Publ. Sym.	State Sym.	Map Unit Name	hydric	criteria	
HkB	245B	Hinckley sandy loam, 3 to 8 % slopes	n	-	
		Inclusions: Deerfield	n	-	
		Merrimac	n	-	
		Windsor	n	-	
HkC	245C	Hinckley sandy loam, 8 to 15 % slopes	n	-	
		Inclusions: Windsor	n	-	
		Merrimac	n	-	
HkD	245D	Hinckley sandy loam, 15 to 35 % slopes	n	-	
		Inclusions: Windsor	n	-	
HgA	242A	Hinckley gravelly very fine sandy loam, 0 to 3 % slopes	n	-	
		Inclusions: Deerfield	n	-	
		Merrimac	n	-	
		Windsor	n	-	
HgB	242B	Hinckley gravelly very fine sandy loam, 3 to 8 % slopes	n	-	
		Inclusions: Deerfield	n	-	
		Merrimac	n	-	
		Windsor	n	-	
HgC	242C	Hinckley gravelly very fine sandy loam, 8 to 15 % slopes	n	-	
		Inclusions: Windsor	n	-	
		Merrimac	n	-	
HgD	242D	Hinckley gravelly very fine sandy loam, 15 to 25% slopes	n	-	
		Inclusions: Windsor	n	-	
		Merrimac	n	-	
HmB	758B	Hollis fine sandy loam, 3 to 8 % slopes	n	-	
		Inclusions: Charlton	n	-	
		Rock Outcrop	n	-	
HmC	758C	Hollis fine sandy loam, 8 to 15 % slopes	n	-	
		Inclusions: Charlton	n	-	
		Rock Outcrop	n	-	
HnC	104C	Hollis fine sandy loam, very rocky, 3 to 15 % slopes	n	-	
		Inclusions: Charlton	n	-	
		Rock Outcrop	n	-	
HnD	104D	Hollis fine sandy loam, very rocky, 15 to 25% slopes	n	-	
		Inclusions: Charlton	n	-	
		Rock Outcrop	n	-	
HoD	104D	Hollis fine sandy loam, extremely rocky, 3 to 25% slopes	n	-	
		Inclusions: Charlton	n	-	
		Rock Outcrop	n	-	
HoF	104F	Hollis fine sandy loam, extremely rocky, 25 to 60 % slopes	n	-	
		Inclusions: Charlton	n	-	
		Rock Outcrop	n	-	
HvC	759C	Holyoke & Sunderland very fine sandy loam, very rocky,	n	-	
		Inclusion: Cheshire	n	-	
HvD	759D	Holyoke & Sunderland very fine sandy loam, very rocky,	n	-	
		Inclusion: Cheshire	n	-	
HxD	760D	Holyoke & Sunderland very fine sandy loam, extremely rocky	n	-	
		Inclusion: Cheshire	n	-	
HxF	760F	Holyoke & Sunderland very fine sandy loam, extremely rocky	n	-	
		Inclusion: Cheshire	n	-	
Lk	8A	Limerick silt loam, 0 to 3 % slopes	y	2B3	
		Inclusions: Podunk	n	-	
		Saco	y	2B3	
		Winooski	n	-	
Ls	22A	Limerick-Saco silt loams, 0 to 3 % slopes	y	2B3,3	
		Inclusion: Winooski	n	-	
LvC	126C	Lyman very rocky loam, 3 to 15 % slopes	n	-	
		Inclusions: Berkshire	n	-	
		Rock Outcrop	n	-	
LvD	126D	Lyman very rocky loam, 15 to 25% slopes	n	-	
		Inclusions: Berkshire	n	-	
		Rock Outcrop	n	-	

Publ. Sym.	State Sym.	Map Unit Name	hydric	criteria	
LxC	126C	Lyman extremely rocky loam, 3 to 25 % slopes	n	-	
		Inclusions: Berkshire	n	-	
		Rock Outcrop	n	-	
LxF	126F	Lyman extremely rocky loam, 25 to 80 % slopes	n	-	
		Inclusions: Berkshire	n	-	
		Rock Outcrop	n	-	
MaB	355B	Marlow loam, 3 to 8 % slopes	n	-	
		Inclusions: Peru	n	-	
		Berkshire	n	-	
MaC	355C	Marlow loam, 8 to 15 % slopes	n	-	
		Inclusions: Peru	n	-	
		Berkshire	n	-	
MaD	355D	Marlow loam, 15 to 25% slopes	n	-	
		Inclusions: Peru	n	-	
		Berkshire	n	-	
MbB	356B	Marlow loam, very stony, 3 to 8 % slopes	n	-	
		Inclusions: Peru	n	-	
		Berkshire	n	-	
MbC	356C	Marlow loam, very stony, 8 to 15 % slopes	n	-	
		Inclusions: Peru	n	-	
		Berkshire	n	-	
MbD	356D	Marlow loam, very stony, 15 to 25% slopes	n	-	
		Inclusions: Peru	n	-	
		Berkshire	n	-	
McB	357B	Marlow loam, extremely stony, 3 to 8 % slopes	n	-	
		Inclusions: Peru	n	-	
		Berkshire	n	-	
McD	357D	Marlow loam, extremely stony, 8 to 35 % slopes	n	-	
		Inclusions: Peru	n	-	
		Berkshire	n	-	
MdB	355B	Marlow loam, dark subsoil, 3 to 8 % slopes	n	-	
		Inclusions: Peru	n	-	
		Berkshire	n	-	
MdC	355C	Marlow loam, dark subsoil, 8 to 15 % slopes	n	-	
		Inclusions: Peru	n	-	
		Berkshire	n	-	
MdD	355D	Marlow loam, dark subsoil, 15 to 25% slopes	n	-	
		Inclusions: Peru	n	-	
		Berkshire	n	-	
MeB	356B	Marlow loam, dark subsoil, very stony, 3 to 8 % slopes	n	-	
		Inclusions: Peru	n	-	
		Berkshire	n	-	
MeC	356C	Marlow loam, dark subsoil, very stony, 8 to 15 % slopes	n	-	
		Inclusions: Peru	n	-	
		Berkshire	n	-	
MeD	356D	Marlow loam, dark subsoil, very stony, 15 to 25% slopes	n	-	
		Inclusions: Peru	n	-	
		Berkshire	n	-	
MfB	357B	Marlow loam, dark subsoil, extremely stony, 3 to 8 % slopes	n	-	
		Inclusions: Peru	n	-	
		Berkshire	n	-	
MfD	357D	Marlow loam, dark subsoil, extremely stony, 8 to 25 % slopes	n	-	
		Inclusions: Peru	n	-	
		Berkshire	n	-	
MfE	357E	Marlow loam, dark subsoil, extremely stony, 25 to 45 % slopes	n	-	
		Inclusions: Peru	n	-	
		Berkshire	n	-	
MgA	254A	Merrimac fine sandy loam, 0 to 3 % slopes	n	-	
		Inclusions: Hinckley	n	-	
		Agawam	n	-	
		Sudbury	n	-	
		Windsor	n	-	

Publ. Sym.	State Sym.	Map Unit Name	hydric	criteria	
MgB	254B	Merrimac fine sandy loam, 3 to 8 % slopes	n		
		Inclusions: Agawam	n	-	
		Hinckley	n	-	
MgC	254C	Merrimac fine sandy loam, 8 to 15 % slopes	n		
		Inclusions: Agawam	n	-	
		Sudbury	n	-	
		Windsor	n	-	
MgD	254D	Merrimac fine sandy loam, 15 to 25% slopes	n	-	
		Inclusions: Agawam	n	-	
		Windsor	n	-	
MmA	254A	Merrimac sandy loam, 0 to 3 % slopes	n	-	
		Inclusions: Hinckley	n	-	
		Agawam	n	-	
		Sudbury	n	-	
		Windsor	n	-	
MmB	254B	Merrimac sandy loam, 3 to 8 % slopes	n	-	
		Inclusions: Agawam	n	-	
		Hinckley	n	-	
MmC	254C	Merrimac sandy loam, 8 to 15 % slopes	n	-	
		Inclusions: Agawam	n	-	
		Sudbury	n	-	
		Windsor	n	-	
MmE	254D	Merrimac sandy loam, 15 to 35 % slopes	n	-	
		Inclusions: Agawam	n	-	
		Windsor	n	-	
Ms	51A	Muck, shallow, 0 to 3 % slopes	y	1	
		Inclusions: Freetown	y	1	
		Scarboro	y	3,2B2	
		Whitman	y	3,2B3	
Mu	52A	Muck, 0 to 3 % slopes	y	1	
		Inclusions: Swansea	y	1	
		Scarboro	y	3,2B2	
		Whitman	y	3,2B3	
NaC	143C	Nassau silt loam, very rocky, 3 to 15 % slopes	n	-	
		Inclusions: Dutchess	n	-	
		Rock Outcrop	n	-	
NaD	143D	Nassau silt loam, very rocky, 15 to 25% slopes	n	-	
		Inclusions: Dutchess	n	-	
		Rock Outcrop	n	-	
NeC	143C	Nassau silt loam, extremely rocky, 3 to 25% slopes	n	-	
		Inclusions: Dutchess	n	-	
		Rock Outcrop	n	-	
NeF	143F	Nassau silt loam, extremely rocky, 25 to 75 % slopes	n	-	
		Inclusions: Dutchess	n	-	
		Rock Outcrop	n	-	
NfA	276A	Ninigret fine sandy loam, 0 to 3 % slopes	n	-	
		Inclusions: Agawam	n	-	
		Walpole	y	2B2	
NfB	276B	Ninigret fine sandy loam, 3 to 10 % slopes	n	-	
		Inclusions: Agawam	n	-	
		Walpole	y	2B2	
NgA	279A	Ninigret fine sandy loam, silty substratum, 0 to 3 % slope	n	-	
		Inclusions: Agawam	n	-	
		Walpole	y	2B2	
NgB	279B	Ninigret fine sandy loam, silty substratum, 3 to 8 % slopes	n	-	
		Inclusions: Agawam	n	-	
		Walpole	y	2B2	
Of	94A	Ondawa fine sandy loam, 0 to 3 % slopes	n	-	
		Inclusion: Podunk	n	-	
Pa	52A	Peat, 0 to 3 % slopes	y	1	
		Inclusions: Swansea	y	1	
		Scarboro	y	3,2B2	
		Whitman	y	3,2B3	

Publ. Sym.	State Sym.	Map Unit Name	hydric	criteria	
PbA	360A	Peru loam, 0 to 3 % slopes	n	-	
		Inclusions: Marlow	n	-	
		Ridgebury	y	2B3	
PbB	360B	Peru loam, 3 to 8 % slopes	n	-	
		Inclusions: Marlow	n	-	
		Ridgebury	y	2B3	
PbC	360C	Peru loam, 8 to 15 % slopes	n	-	
		Inclusions: Marlow	n	-	
		Berkshire	n	-	
PcB	361B	Peru loam, very stony, 3 to 8 % slopes	n	-	
		Inclusions: Marlow	n	-	
		Ridgebury	y	2B3	
PcC	361C	Peru loam, very stony, 8 to 15 % slopes	n	-	
		Inclusions: Marlow	n	-	
		Berkshire	n	-	
PcD	361D	Peru loam, very stony, 15 to 25% slopes	n	-	
		Inclusions: Marlow	n	-	
		Berkshire	n	-	
PeB	362B	Peru loam, extremely stony, 0 to 8 % slopes	n	-	
		Inclusions: Marlow	n	-	
		Ridgebury	y	2B3	
PeC	362C	Peru loam, extremely stony, 8 to 25 % slopes	n	-	
		Inclusions: Marlow	n	-	
		Berkshire	n	-	
PnB	345B	Pittstown silt loam, 3 to 8 % slopes	n	-	
		Inclusions: Bernardston	n	-	
		Stissing	y	2B3	
Po	95A	Podunk fine sandy loam, 0 to 3 % slopes	n	-	
		Inclusions: Ondawa	n	-	
		Rumney	y	3,2B2	
RaA	30A	Raynham silt loam, 0 to 3 % slopes	y	2B3	
		Inclusion: Belgrade	n	-	
RdA	70A	Ridgebury fine sandy loam, 0 to 3 % slopes	y	2B3	
		Inclusions: Sutton	n	-	
		Whitman	y	2B3	
RdB	70B	Ridgebury fine sandy loam, 3 to 8 % slopes	y	2B3	
		Inclusions: Sutton	n	-	
		Whitman	y	2B3	
RgB	71B	Ridgebury fine sandy loam, very stony & extremely stony	y	2B3	
		Inclusions: Sutton	n	-	
		Whitman	y	2B3	
Rs	615A	Riverwash, 0 to 3 % slopes	n	-	
Ru	18A	Rumney fine sandy loam, 0 to 3 % slopes	y	2B3,3	
		Inclusions: Podunk	n	-	
		Saco	y	2B3,3	
Sa	5A	Saco silt loam, 0 to 3 % slopes	y	2B3	
		Inclusions: Limerick	y	2B3	
Sb	37A	Saugatuck loamy sand, 0 to 3 % slopes	y	2B2	
		Inclusion: Wareham	y	2B2	
ScA	16A	Scatic silt loam, 0 to 3 % slopes	y	2B3	
		Inclusions: Buxton	n	-	
		Biddeford	y	2B3	
ScB	16B	Scatic silt loam, 3 to 8 % slopes	y	2B3	
		Inclusions: Buxton	n	-	
		Biddeford	y	2B3	
Sd	20A	Scarboro fine sandy loam, brownish subsoil variant, 0 to	y	2B2	
		Inclusions: Walpole	y	2B2	
		Wareham	y	2B2	
SeA	315A	Scituate fine sandy loam, 0 to 3 % slopes	n	-	
SeB	315B	Scituate fine sandy loam, 3 to 8 % slopes	n	-	
		Inclusions: Essex	n	-	
		Ridgebury	y	2B3	

Publ. Sym.	State Sym.	Map Unit Name	hydric	criteria	
SeC	315C	Scituate fine sandy loam, 8 to 15 % slopes	n	-	
		Inclusions: Essex	n	-	
		Ridgebury	y	2B3	
SfA	316A	Scituate fine sandy loam, very stony, 0 to 3 % slopes	n	-	
		Inclusions: Essex	n	-	
		Ridgebury	y	2B3	
SfB	316B	Scituate fine sandy loam, very stony, 3 to 8 % slopes	n	-	
		Inclusions: Essex	n	-	
		Ridgebury	y	2B3	
SfC	316C	Scituate fine sandy loam, very stony, 8 to 15 % slopes	n	-	
		Inclusions: Essex	n	-	
		Ridgebury	y	2B3	
SgB	317B	Scituate fine sandy loam, extremely stony, 0 to 8 % slopes	n	-	
		Inclusions: Essex	n	-	
		Ridgebury	y	2B3	
SgC	317C	Scituate fine sandy loam, extremely stony, 8 to 25 % slopes	n	-	
		Inclusions: Essex	n	-	
		Ridgebury	y	2B3	
ShB	114B	Shapleigh fine sandy loam, 3 to 8 % slopes	n	-	
		Inclusions: Essex	n	-	
		Rock Outcrop	n	-	
ShC	114C	Shapleigh fine sandy loam, 8 to 15 % slopes	n	-	
		Inclusions: Essex	n	-	
		Rock Outcrop	n	-	
SkC	104D	Shapleigh fine sandy loam, very rocky, 3 to 15 % slopes	n	-	
		Inclusions: Essex	n	-	
		Rock Outcrop	n	-	
SkD	104D	Shapleigh fine sandy loam, very rocky, 15 to 25% slopes	n	-	
		Inclusions: Essex	n	-	
		Rock Outcrop	n	-	
SmC	764C	Shapleigh fine sandy loam, extremely rocky, 3 to 25% slopes	n	-	
		Inclusions: Essex	n	-	
		Rock Outcrop	n	-	
SmF	764F	Shapleigh fine sandy loam, extremely rocky, 25 to 60 % slopes	n	-	
		Inclusions: Essex	n	-	
		Rock Outcrop	n	-	
SnB	370B	Shelburne loam, 3 to 8 % slopes	n	-	
		Inclusions: Ashfield	n	-	
		Colrain	n	-	
		Cabot	y	2B3	
		Westminster	n	-	
SnC	370C	Shelburne loam, 8 to 15 % slopes	n	-	
		Inclusions: Ashfield	n	-	
		Colrain	n	-	
		Westminster	n	-	
SnD	370D	Shelburne loam, 15 to 25% slopes	n	-	
		Inclusions: Ashfield	n	-	
		Colrain	n	-	
		Westminster	n	-	
SoB	371B	Shelburne loam, very stony, 3 to 8 % slopes	n	-	
		Inclusions: Ashfield	n	-	
		Colrain	n	-	
		Cabot	y	2B3	
		Westminster	n	-	
SoC	371C	Shelburne loam, very stony, 8 to 15 % slopes	n	-	
		Inclusions: Ashfield	n	-	
		Colrain	n	-	
		Westminster	n	-	
SoD	371D	Shelburne loam, very stony, 15 to 25% slopes	n	-	
		Inclusions: Ashfield	n	-	
		Colrain	n	-	
		Westminster	n	-	

Publ. Sym.	State Sym.	Map Unit Name	hydric	criteria
SpB	372B	Shelburne loam, extremely stony, 3 to 8 % slopes	n	-
		Inclusions: Ashfield	n	-
		Colrain	n	-
		Cabot	y	2B3
		Westminster	n	-
SpD	372D	Shelburne loam, extremely stony, 8 to 25 % slopes	n	-
		Inclusions: Ashfield	n	-
		Colrain	n	-
		Westminster	n	-
SpF	372F	Shelburne loam, extremely stony, 25 to 50 % slopes	n	-
		Inclusions: Ashfield	n	-
		Colrain	n	-
		Westminster	n	-
SrB	79B	Stissing silt loam, 0 to 8 % slopes	y	2B3
		Inclusions: Pittstown	n	-
SsB	80B	Stissing silt loam, very stony, 3 to 8 % slopes	y	2B3
		Inclusions: Pittstown	n	-
StA	260A	Sudbury fine sandy loam, 0 to 3 % slopes	n	-
		Inclusions: Merrimac	n	-
		Walpole	y	2B3
StB	260B	Wareham	y	2B2
		Sudbury fine sandy loam, 3 to 8 % slopes	n	-
		Inclusions: Merrimac	n	-
		Walpole	y	2B3
SuB	719B	Wareham	y	2B2
		Suffield silt loam, 3 to 8 % slopes	n	-
		Inclusions: Scantic	y	2B3
		Biddeford	y	2B3
SuC2	765C	Suffield silt loam, eroded, 8 to 15 % slopes	n	-
		Inclusions: Scantic	y	2B3
		Biddeford	y	2B3
SuE2	765E	Suffield silt loam, eroded, 15 to 35 % slopes	n	-
		Inclusions: Scantic	y	2B3
		Biddeford	y	2B3
Sv	97A	Suncook loamy sand, 0 to 3 % slopes	n	-
		Inclusion: Ondawa	n	-
SwB	410B	Sutton fine sandy loam, 3 to 8 % slopes	n	-
		Inclusions: Charlton	n	-
		Woodbridge	n	-
		Ridgebury	y	2B3
SwC	410C	Paxton	n	-
		Sutton fine sandy loam, 8 to 20 % slopes	n	-
		Inclusions: Charlton	n	-
SxB	411B	Ridgebury	y	2B3
		Sutton fine sandy loam, very stony, 3 to 8 % slopes	n	-
		Inclusions: Charlton	n	-
SxC	411C	Ridgebury	y	2B3
		Sutton fine sandy loam, very stony, 8 to 15 % slopes	n	-
		Inclusions: Charlton	n	-
SyB	412B	Ridgebury	y	2B3
		Sutton fine sandy loam, extremely stony, 0 to 8 % slopes	n	-
		Inclusions: Charlton	n	-
SyC	412C	Ridgebury	y	2B3
		Sutton fine sandy loam, extremely stony, 8 to 25 % slopes	n	-
		Inclusions: Charlton	n	-
SzA	40A	Ridgebury	y	2B3
		Swanton very fine sandy loam, 0 to 3 % slopes	y	2B3
		Inclusion: Ninigret	n	-
SzB	40B	Swanton very fine sandy loam, 3 to 8 % slopes	y	2B3
		Inclusion: Ninigret	n	-
WaA	41A	Walpole and Wareham fine sandy loams, 0 to 3 % slopes	y	2B3
		Inclusion: Scarboro	y	2B2
WaB	41A	Walpole and Wareham fine sandy loams, 3 to 8 % slopes	y	2B3
		Inclusion: Scarboro	y	2B2

Publ. Sym.	State Sym.	Map Unit Name	hydric	criteria
WfA	266A	Warwick gravelly fine sandy loam, 0 to 3 % slopes	n	-
		Inclusions: Merrimac	n	-
		Sudbury	n	-
		Walpole	y	2B3
WfB	266B	Warwick gravelly fine sandy loam, 3 to 8 % slopes	n	-
		Inclusions: Merrimac	n	-
		Sudbury	n	-
		Walpole	y	2B3
WfC	266C	Warwick gravelly fine sandy loam, 8 to 15 % slopes	n	-
		Inclusions: Sudbury	n	-
		Merrimac	n	-
WfD	266D	Warwick gravelly fine sandy loam, 15 to 40 % slopes	n	-
		Inclusions: Sudbury	n	-
		Merrimac	n	-
WgA	266A	Warwick gravelly loam, 0 to 3 % slopes	n	-
		Inclusions: Merrimac	n	-
		Sudbury	n	-
		Walpole	y	2B3
WgB	266B	Warwick gravelly loam, 3 to 8 % slopes	n	-
		Inclusions: Merrimac	n	-
		Sudbury	n	-
		Walpole	y	2B3
WgC	266C	Warwick gravelly loam, 8 to 15 % slopes	n	-
		Inclusions: Sudbury	n	-
		Merrimac	n	-
WmB	117B	Westminster loam, 3 to 8 % slopes	n	-
		Inclusions: Buxton	n	-
		Rock Outcrop	n	-
WmC	117C	Westminster loam, 8 to 15 % slopes	n	-
		Inclusions: Buxton	n	-
		Rock Outcrop	n	-
WmD	117D	Westminster loam, 15 to 25% slopes	n	-
		Inclusions: Buxton	n	-
		Rock Outcrop	n	-
WnC	117C	Westminster loam, very rocky, 3 to 15% slopes	n	-
		Inclusions: Buxton	n	-
		Rock Outcrop	n	-
WnD	117D	Westminster loam, very rocky, 15 to 25% slopes	n	-
		Inclusions: Buxton	n	-
		Rock Outcrop	n	-
WrD	117D	Westminster loam, extremely rocky, 3 to 25% slopes	n	-
		Inclusions: Buxton	n	-
		Rock Outcrop	n	-
WrF	117F	Westminster loam, extremely rocky, 25 to 75% slopes	n	-
		Inclusions: Buxton	n	-
		Rock Outcrop	n	-
WsA	72A	Whitman fine sandy loam, 0 to 3 % slopes	y	2B3,3
		Inclusion: Ridgebury	y	2B3
WtA	73A	Whitman fine sandy loam, extremely stony, 0 to 3 % slopes	y	2B3,3
		Inclusions: Ridgebury	y	2B3,3
WuA	255A	Windsor loamy fine sand, 0 to 3 % slopes	n	-
		Inclusions: Hinckley	n	-
		Deerfield	n	-
		Merrimac	n	-
WuB	255B	Windsor loamy fine sand, 3 to 8 % slopes	n	-
		Inclusions: Deerfield	n	-
		Hinckley	n	-
		Merrimac	n	-
WuC	255C	Windsor loamy fine sand, 8 to 15 % slopes	n	-
		Inclusions: Agawam	n	-
		Merrimac	n	-
WuE	255E	Windsor loamy fine sand, 15 to 35 % slopes	n	-
		Inclusions: Agawam	n	-
WvB	749B	Windsor loamy fine sand, wind-hummocky, 0 to 8 % slopes	n	-
Ww	98A	Winooski very fine sandy loam, 0 to 3 % slopes	n	-
		Inclusions: Limerick	y	2B3
		Hadley	n	-
		Saco	y	2B3

Page 14